Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	17	intelligent interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/09 10:09
S35 4	9	(register near5 stor\$3 near5 (number near3 device\$1)) same interrupt	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/08 15:30
S35 3 .	356	register same (number near3 device\$1) same interrupt	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/08 15:30
S35 0	189	((max or maximum) near5 (number near3 (peripheral\$1 or device\$1))) same (stor\$3 near3 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/08 10:29
\$34 0	2560	(max or maximum) near5 (number near3 (peripheral\$1 or device\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/08 10:28
S34 8	8	(load near5 handl\$3) same (number near3 device\$1) same stor\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/08 10:23
534 6	<b>92</b>	(load near5 handl\$3) same (number near3 device\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/08 10:23
\$34 1	208	data near5 ((max or maximum) near5 (number near3 (peripheral\$1 or device\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 15:23
S33 8	97	(configur\$5 data) near5 (number near3 (peripheral\$1 or device\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 15:22
S33 6		configuration near5 power near5 (serv\$3 or handl\$3) near5 (number near3 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 14:41
S33 5	153	configuration same power same (serv\$3 or handl\$3) same (number near3 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 14:35
S33 3	<b>53</b>	configuration same power same handl\$3 same (number near3 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 14:34

532 7	305	configuration same power same handl\$3 same number same device\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 14:33
S33 2	4	configuration same ((serv\$3 or handl\$3) near3 number near3 (device\$1 or element\$1 or peripheral\$1)) near5 (maximum or max)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 14:30
S33 0	8	configuration same ((serv\$3 or handl\$3) near3 number near3 (device\$1 or element\$1 or peripheral\$1)) near5 limit\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 14:30
532 9	341	configuration same ((serv\$3 or handl\$3) near3 number near3 (device\$1 or element\$1 or peripheral\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 14:29
S32 5	203	(interrupt same device\$1 same handl\$3 same (number near3 device\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 13:03
\$32 3	5895	(interrupt same device\$1 same handl\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 13:03
S32 2	12	(interupt same device\$1 same handl\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 13:02
S32 0	. 0	(configuration circuit) same (interupt same device\$1 same hand \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 13:02
532 1	· 2	(configuration circuit) same (interrupt same device\$1 same handl\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 13:01
S31 9	8726	(configuration circuit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 13:00
S31 7	14	(power near3 (dissipation or consum\$5)) same (indicat\$3 near5 (number near3 device\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 13:00
S31 6	2894	(power near3 (dissipation or consum\$5)) same (number near3 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 12:56
\$30 0	18	(power near3 (dissipation or consum\$5)) same ((max or maximum) near3 number near3 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 12:56
S31 4	109	(maximum or max) near5 (number near3 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 11:33

S31 3	0	(maximum or max) near5 (number near3 interrupt\$1) near5 handl\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 11:33
S31 1	20	interrupt\$3 near5 handl\$3 near5 (number near3 device\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 11:21
530 9	7	(interrupt same (number near3 device\$1)) same (hand\$3 near3 address\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ .	ON	2006/06/07 09:39
S30 8	1	(interrupt same (number near3 device\$1)) same (indirect near3 address\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 09:39
S30 6	1	(interrupt near5 (number near3 device\$1)) same (indirect near3 address\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 09:39
S30 5	0	(interrupt near5 (number near3 device\$1)) same (indirect near3 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ÓN	2006/06/07 09:36
S28 4	32	ROM same configuration same interrupt same (number near3 device\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 09:36
S30 3	0	((max or maximum) near3 number near3 device\$1) same (fan out) same (rom or eprom or eeprom or (read only memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 08:29
S30 2	0	(power near3 (dissipation or consum\$5)) same ((max or maximum) near3 number near3 device\$1) same (rom or eprom or eeprom or (read only memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2006/06/07 08:28
S29 9	0	handl\$3 same (power near3 (dissipation or consum\$5)) same ((max or maximum) near3 number near3 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 08:19
S29 7		(interrupt\$3 near3 handl\$3) same ((max or maximum) near3 number near3 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 08:18
S29 5	6	((eprom or eerom or rom) near5 (configuration data)) same (number near3 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 08:06
S29 2	337	(eprom or eerom or rom) near5 (configuration data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 08:06
\$28 9	17	((max or maximum) near3 number near3 device\$1 near3 handl\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 08:06
10/20	06 2-12-10	DAA				Page

	,					
S29 1	250	rom near5 (configuration data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/06/07 08:05
S28 8	3	interrupt same ((max or maximum) near3 number near3 device\$1 near3 handl\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/06/07 07:49
528 6	3	configur\$5 same interrupt same ((max or maximum) near3 number near3 device\$1 near3 handl\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ΑĎ	ON	2006/06/07 07:49
S28 1	1	(configuration (register or circuit)) near5 (handl\$3 near3 devic\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/05/17 18:33
S27 9	0	(interrupt near3 (configuration (register or circuit))) same (handl\$3 near3 devic\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/05/17 18:33
S27 8	249	interrupt near3 (configuration (register or circuit))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/05/17 18:31
S27 7	312	interrupt near5 (configuration (register or circuit))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/05/17 18:31
S27 6	549	interrupt near5 (configuration near3 (register or circuit))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/05/17 18:31
S27 4	10	interrupt near5 (configuration circuit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/05/17 18:30
S27 3	3	configuration near5 handling near5 number near5 maximum	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/05/17 18:30
S27 2	1	configuration near3 handling near3 number near3 maximum	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/05/17 18:28
\$27 0	235	configuration same handling same number same maximum	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON <sup>*</sup>	2006/05/17 18:28
S26 3	15	configuration same interrupt\$1 same handling same number same maximum	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/05/17 18:27
S26 8	19	configuration same interrupt\$1 same handling same maximum	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2006/05/17 18:23
S26 2	100	configuration same interrupt\$1 same handling same number	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ ·	ON	2006/05/17 18:14